

Property Accessibility Questionnaire

Property Details	Name of Property	Location	Contact Email for Reservations	Website URL Links to appropriate pages on your website	Details Completed By (Name and Position)	Date Completed
	MOVENPICK HOTEL IZMIR	IZMIR, TURKEY	hotel.izmir.reservation@accor.com	https://movenpick.accor.com/en/europe/turkey/izmir/hotel-izmir.html	Eriğcan Midilliç Travel Trade Sales Manager	28/12/2023 00:00
Item	Question	Reply	Question	Reply	Question	Reply
Accommodation - Bed	Is the bed height between 450mm and 540mm (between 1 feet 6inches and 1 feet 9 inches) from the floor?	Yes	How much space is between the left and right of the bedside and any other objects (e.g. furniture, wall etc)	2 cm both side to furniture	How much space is between the foot of the bed and any other objects (e.g. furniture, wall etc)	50cm to the left side 170 cm to the right side
Accommodation - Bed	Within the bedroom are any of the beds electric which are able to be raise up and down and allow the raising of the head and/or feet of the guest also?	No	Does the property offer the option of an 'air-flow' mattress?	No	Does the property offer the option of a 'pressure relief 'mattress'?	No
Accommodation - Bed	How much space is underneath the bed from the floor to the lowest part of the bed frame? (To allow access for mobility equipment)	5 cm	If there is little or no space under the bed, is it possible to raise the bed height to allow a space of at least 150mm to accommodate mobility equipment?	No	If the bed needs to be raised, how is this achieved?	N/A
Accommodation - Bed and Bedroom	What is the maximum number of people who can be accommodated in the property's accessible bedroom(s)	3	Is there a connecting door from an adjoining room (either accessible or non-accessible) into the accessible bedroom?	Yes	Any other comments regarding bed and bedroom?	

Accommodation - Access and Space	Is the wheelchair route to the bedroom from the ground floor or elevator step free?	Yes	Is the entrance doorway width 750mm or greater ? Does the room have an automatic opening door?	Yes Rooms do not have automatic opening doors.	What is the total floor area of each accessible bedroom (not including the bathroom? Any other comments?	15 sqm
Accommodation - Access and Space	Is there a ceiling track hoist in the bedroom? If so, can it transport the guest from the bedroom and into the bathroom in one movement?	No	Is there a mobile hoist ('Hoyer' or similar) available for the use of guests at the property?	No	Are you aware of a local company or organisation that will be able to rent out mobility equipment, special beds etc and deliver these to the property?	No
Item	Question	Reply	Question	Reply	Question	Reply
Accommodation - Bathroom - Toilet	Is the toilet accessible from both sides?	No	Are there support or grab rails both sides of the toilet?	Yes	Any other remarks or comments about the toilet?	
Accommodation - Bathroom - Shower	What are the dimensions of the bathroom? Can it be described as a 'roll-in shower' or 'wet room'?	12 sqm Wet room	Is the bathroom flat and level with no lips or steps to enter the shower or bathroom?	Yes	Is there; 1) A fixed shower seat? 2) A removable shower seat ? 3) A shower chair on wheels? 4) A shower trolley?	1) Yes 2) No 3) No 4) No
Accommodation - Bathroom - Shower	Are there grab rails in the shower area?	Yes	Is the shower mixer unit and shower head easily reached from the shower seat or chair (if present).	Yes	Any other remarks or comments about the shower and bathroom area?	
Kitchen and Living Area - if applicable	Are any adapted appliances or lowered work areas in the Kitchen area?	N/A	Any comments regarding accessibility in the Living/ Dining area?	N/A	Any comments regarding accessibility in the Kitchen area?	N/A
Item	Question	Reply	Question	Reply	Question	Reply

External Environment	Is access into and around the building step free with ramps provided where necessary. Are entrance doorways 800mm (2 feet 7 inches) wide or greater. ? If ramps are in place are they steeper than 10% or 1 : 10 ? If so, how steep?	Yes	Is there designated parking places for wheelchair accessible vehicles. If so, how many places?	1	Is the surface of the car park smooth and without gravel or stones? Are pathways smooth and without gravel or stones?	They can be described as smooth
Moving Around (‘wheelchair accessible, or ‘accessible’ in all cases refers to the carriage of a passenger who <i>must</i> stay in their wheelchair and be safely secured in a vehicle)	Is the property on a hill, or does access to the property involve the need to pass up or down steep inclines?	N/A	Are wheelchair accessible taxis and of vans available locally? If vans are available, how many wheelchair passengers can be carried per vehicle?	No	How far from the property is accessible public transport? - e.g 500 metres to bus stop, 750 metres to train station. Is access to these facilities level and even? Are dropped kerbs in place?	300 metres to bus stop 200 metres to ferry station 600 metres to tram station 800 metres to subway station
To and From the Property (‘wheelchair accessible, or ‘accessible’ in all cases refers to the carriage of a passenger who <i>must</i> stay in their wheelchair and be safely secured in a vehicle)	Does the property provide a wheelchair accessible shuttle service or similar? If so, how many wheelchair passengers can be carried in one vehicle?	No	Is it possible to travel from the airport or port on wheelchair accessible public transport?	No	Do you have an arrangement with a local company that provides wheelchair accessible transfers and/or excursions?	No
Item	Question	Reply	Question	Reply	Question	Reply
The Building - Public Areas	Are there accessible toilet facilities on the ground floor? Is there any area not accessible to a wheelchair user?	Yes	Are all restaurants, bars and meeting rooms (if applicable) fully accessible? i.e no steps , or narrow doorways (less than 800mm wide)	Yes	Is there /are there an elevator or elevators to all floors? Please state the internal dimensions of the elevator.	Yes
The Building - Restaurants & Bars	Is there a designated area or tables for wheelchair users to have a meal which does not involve having to manoeuvre around tables, chairs and other diners?	There is no designated area for wheelchair users, though there is enough space to manoeuvre around tables.	In your opinion, does the bar area(s) provide enough turning space for a wheelchair user?	Yes	Any other comments you would like to add regarding public areas?	

The Building - Leisure Facilities	If the property has a stage or show area, is it easy for wheelchair users to have a good view? (i.e. are they close to the action?)	N/A	If the property has a gym, is it accessible to wheelchair users? If so would there be any restrictions due to space, etc?	Yes	Any other comments you would like to add regarding leisure facilities?	
Item	Question	Reply	Question	Reply	Question	Reply
Swimming Pool	Does the property have a swimming pool?	Yes	If so, how many swimming pools and are these outdoor or indoor?	indoor	Is the pool(s) heated?	Yes
Swimming Pool - Accessibility to the Environment	Can a wheelchair user reach the swimming pool environment?	Yes	Can the permanent wheelchair user enter the pool using the special equipment listed below?	Necessary equipment is not available.	Additional remarks regarding the swimming pool?	
Swimming Pool - Access to the water	Does the swimming pool have a special hoist or lift so that permanent wheelchair users can enter the water safely?	No	If the swimming pool does have a special hoist or lift, what type is it? <i>For example:</i> A: A moveable unit on wheels with a seat . B: A fixed unit with a seat C : A fixed unit with a bar that can take a sling (i.e. no seat) or D: A gantry or overhead hoist.	No	If the swimming pool hoist is in a fixed position, at what water depth does the bather enter the water? If the swimming pool has no lifting equipment, does the pool have a gradient or ramp with a special 'wet wheelchair'.	N/A
Hot Tub or Jacuzzi	Does the property have a hot tub or jacuzzi? If so, can a wheelchair user reach the hot tub environment?	No	If the hot tub does have a special hoist or lift, what type is it? <i>For example:</i> A: A moveable unit on wheels with a seat . B: A fixed unit with a seat C : A fixed unit with a bar that can take a sling (i.e. no seat) or D: A gantry or overhead hoist.	No	Any additional comments regarding a hot tub or jacuzzi?	